

Goldhofer



F59 THE ULTIMATE UTILITY TUG

CONVENTIONAL TRACTORS



MADE FOR YOUR MISSION

F59 COMPACT AND STRONG!

The powerful all-wheel drive of the conventional tow tractor F59 makes it the first choice for reliable pushbacks of aircraft up to 154,000 lbs MTOW.

With a large range of options and accessories, this vehicle is the epitome of flexibility.

DIAGNOSIS AND MAINTENANCE

- + Designed for maximum availability and utility
- + Easy access of preventive maintenance components (filters, belts, etc.)
- + Time-saving work processes

OPTIONS

- + Customer specific options
- + Flexible operating weights from 11,000 lbs, 13,670 lbs to 15,400 lbs
- + Magnetic sweeper
- + Snow Plough
- + Snow Brush

VEHICLE-SPECIFIC ADVANTAGES

- + Left hand drive or right hand drive
- + Best allround visibility and maneuverability
- + For multi purpose use
- + Easy ballasting and even weight distribution
- + Designed and manufactured in compliance with: IATA-AHM, ISO, CE standards, CE health & safety and environmental directives
- + Ready for air freight



F59
10,116 lbf | 10,790 lbf | MTOW ≤ 154,000 lbs
IIIA | EU STAGE V
US EPA Tier 3 | US EPA Tier 4F



4-WHEEL DRIVE
FOR SAFE
OPERATIONS



WEIGHT DISTRIBUTION
50:50 ON
BOTH AXLES



FOR ALL WEATHER
CONDITIONS FROM
-22°F TO +125,6°F^[1]

^[1] Standard version from -4°F to +107°F, other temperature range with Arctic- and Tropical-Kit

F59 GET IN TOUCH WITH US!

GOLDHOFER INC.

7401 Riviera Boulevard, Miramar, FL 33023, USA
Telephone: +1 954 433 5617, Fax: +1 954 433 5445
Web: www.flitelineusa.com, E-Mail: info.usa@goldhofer.com

GOLDHOFER AKTIENGESELLSCHAFT

Donaustrasse 95, 87700 Memmingen/Germany
Web: www.goldhofer.com, E-Mail: info@goldhofer.com

SALES

Telephone: +49 8331 15-343
E-Mail: sales-airporttechnology@goldhofer.com

SERVICES AND SPARE PARTS

Telephone: +49 8331 962 99 99, Fax: +49 8331 15-247
E-Mail: service-airporttechnology@goldhofer.com

TECHNICAL DATA SHEETS



F59